BLM and USFS livestock grazing stats:

Examining key data in the debate over wild horses on western public lands







November 2015 dailypitchfork.org

Table of Contents

SECTION	<u>PAGE</u>
Overview	3
BLM and USFS data: What 2014 grazing receipts and population	
estimates show about commercial livestock usage vs. wild horses	4
Sources	5
 Key finding: population ratios 	6
Supporting data	
 Wild horses and burros — BLM and USFS 	7
 Cattle — BLM, USFS and combined 	3, 9, 10
 Key finding: forage and acreage allocations 	11
Studies on overgrazing	
 Sample studies on livestock impacts 	13
 Studies on the impact of wild horses and burros 	14
Conclusions	15
Credit and contact	16

"Too many wild horses overgrazing and damaging western public rangelands"... "pushing cattle off the land"... "needing to be removed"...

Most media coverage of wild horses shares this storyline, citing rising population estimates from the Bureau of Land Management (BLM), which, together with the US Forest Service (USFS), oversees 251 million acres of public lands for grazing (mostly cattle) and other "multiple uses."

But 2014 BLM and USFS livestock grazing receipts (\$17.1 million) tell a different story: the equivalent of 2.1 million cattle outnumbering 56,656 federally protected wild horses and burros (WHB) by 37:1. These privately owned livestock are allocated 97 percent of western forage on all 251 million acres. This is compared to 3 percent allocated to 56,656 wild horses and burros occupying just 29.4 million acres.

Studies also show cattle, not horses, as the focus of considerable research on domestic overgrazing and a major cause of global climate change.

This analysis will present select 2014 grazing data from the BLM and USFS web sites, published reports and correspondence. Also included is a small sample of recent studies on livestock grazing's impact on public lands missing from the present debate.

It's critical to understand how many cattle vs. WHB exist on public lands; how many millions of acres they each graze; how much forage they're each allotted. It's equally important to acknowledge the abundance of research on cattle's impact on biodiversity and wildlife and the corresponding scarcity of research regarding wild horses. This information is foundational to an understanding of the issue.


But it's a *starting point,* not just for correcting false coverage, but for establishing common facts from which to go forward and address larger, interconnected and pressing public policy issues — not simply debate various narratives and opinions.

BLM and USFS Data

What 2014 grazing receipts and population estimates show about livestock usage vs. wild horses









Date: Mon, 21 Apr 2014 13:05:42 -0700 Subject: Pect tols up questions From: "Historist, Zachary" (Senier Wild Horse and Burro Spacialist, BLM)
I am sony it has taken so long for me to get back to you. Below are the answers to your questions.
1) In the Herd Management Areas, what is the actual allocation (AUMs) for wild horses and for cattle/livestock?
Active livestock AUMs authorized in HMAs is 1,076,000
This estimate is based on the following assumptions:
 The data is reflective of what is currently entered into GIS and RAS and may not reflect recent changes in allotment adjustments, etc. FOs may still be connecting enters in GIS as well as making adjustments in parmitted use.
 'Active livestock AUMs' are the authorized Active AUMs and do not include Suspended Use. These are NOT Actual use AUMs or Total Permitted Use.
3. Livestock grazing use is authorized on an allotment wide basis.
4. Livestock grazing capacity has not been established for the portion of the HMA or HM within an elibinant. Livestock convring capacity by allorment has been established based on frange availability, production, astherwement of standards and multiple use objectives on a sillorment base.
 For purposes of allocating use, we often preportion the use with the acres. Ex. if se have a 1,001s as distinstent with 104 AURilla shockaled investors, grazing use, and if have are 500 as of this allocation in an 160A, then 50 active AURilla are presumed to be used which the IAVA.
Forage allocated to wild horses and burros is 320,124 AU

U.S.	Forest Servi	ce Wild Horse	e Burro Terri	tory Status 2	2014
N/A	ACTIVE	HORSE	13,763	13,128	635
DEVIL'S GARDEN					
PLATEAU	ACTIVE	HORSE	232,521	224,889	7,632
N/A	ACTIVE	BURRO	28,930	28,930	0
MURDERERS CREEK	ACTIVE	HORSE	143,206	73,545	69,661
N/A	ACTIVE	HORSE	27,309	27,069	
			6,117,996	2,530,851	3,

¹ US Dept. of the Interior, BLM Fact Sheet: Management of Livestock Grazing www.blm.gov/wo/st/en/prog/grazing.htm

²US Dept. of the Interior, BLM Wild Horses and Burros Program: Quick Facts www.blm.gov/wo/st/en/prog/whbprogram/history and facts/quick facts.html

³ E-mail from senior BLM WHB specialist Zach Reichold www.scribd.com/fullscreen/233249122?access_key=key-jl1GglE8TuzUXE659mtC&allow_share=true&escape=false&view_mode=scroll

⁴US Forest Service Rangelands <u>www.fs.fed.us/rangelands/whoweare/</u>


⁵ USDA Forest Service Range Management Grazing Statistical Summary FY2014 http://www.fs.fed.us/rangelands/ftp/docs/GrazingStatisticalSummaryFY2014.pdf

⁶ USDA Forest Service Fiscal Year 2016 Budget Overview http://www.fs.fed.us/sites/default/files/media/2015/07/fy2016-budget-overview-update.pdf

⁷ USFS Wild Horse Burro Territory Status 2014 http://dailypitchfork.org/wp-content/uploads/2015/11/USFS-WHBT-2014-All-Regions.pdf (Excel spread sheet provided in 2014 by Tom Frolli of USFS)



In 2014, cattle outnumbered wild horses by 37:1 on BLM and USFS western Public Rangelands





Photography: BLM

	BLM territory:	USFS territory:	Combined BLM & USFS:
<u>Cattle</u> :	1.5 million	617,284	2.1 million
Wild horses and burros:	49,209	7,447	56,656
Ratio cattle vs. wild horses and burn	os: 30:1	83:1	37:1



An estimated 56,656 wild horses and burros grazed BLM and USFS rangelands in 2014





Understanding the data: The BLM and USFS report WHB estimates differently. The BLM does it on its web site (the 2015 WHB number, 58,150, was published in March). The USFS provides a spread sheet. The one (at left) was emailed by Tom Frolli of USFS to Suzanne Roy, Director of American Wild Horse Preservation, an advocacy group. But the estimates provided by each agency are comparable to each other.

Sources:

² US Dept. of the Interior, BLM Wild Horses and Burros Program: Quick Facts www.blm.gov/wo/st/en/prog/whbprogram/history and facts/quick facts.html

⁷ USFS Wild Horse Burro Territory Status 2014 from Tom Frolli of USFS http://dailypitchfork.org/wp-content/uploads/2015/11/USFS-WHBT-2014-All-Regions.pdf






An estimated 2.1 million cattle grazed BLM and USFS western public rangelands in 2014

Reported by BLM & USFS:

Average yearly animal unit equivalent:

Average yearly livestock equivalent:



Photography: BLM

Actual grazing receipts:

\$17.1 million Divide by \$1.35, then by 12 mos.

Authorized animal unit months:

15.0 million *Divide by 12 mos.*

Rancher-reported animal units:

1.05 million *Multiply by 2*

<u>cows + calves</u>:

2.1 million

Rancher-reported

Authorized animal units:

1.3 million *Multiply by 2*

Authorized cows + calves:

2.6 million

Supporting data: cattle

Expenditures and Collections

In Fiscal Year 2014, the BLM was allocated **\$79.9 mil** management program. Of that figure, the agency spe percent) on livestock grazing administration. The oth activities as weed management, rangeland monitoring administration), planning, water development, vegeta (2014, the BLM collected **\$12.1 million** arazing fee below). The receipts from the governments.

Federal Grazing Fee

The Federal grazing fee, which applies to Federal land U.S. Forest Service, is adjusted annually and is calcul Rangelands Improvement Act of 1978. Under this for iscription of the grazing fee for 2015 is \$1.69 per Act the 2014 fee of \$1.35.

Number of Livestock on BLM-managed Lands

The Bureau does not make an annual national "count" of the livestock that graze on BLM-managed lands because the actual number of livestock grazing on public lands on any single day varies throughout the year and livestock are often moved from one grazing allotment to another. So an aggregate head count would provide very little information on overall livestock use. Instead, the BLM compiles information on the number of AUMs used each year, which takes into account both ti Tids declined from 10.2 million amount of time the definition of an AUM to 8.4 million AUMs in 2014 there has been a gruthe amount authorized because grazing that takes place on BLM-managed land, and that trend continues today. Grazing use on public

Source:

1,2,3 www.blm.gov/wo/st/en/prog/grazing.htm



An estimated 1.5 million cattle grazed BLM western public rangelands in 2014

Reported by BLM:

Average yearly animal unit equivalent:

Average yearly livestock equivalent:

Actual grazing receipts:

\$12.1 million¹ Divide by \$1.35 2 , then by 12 mos.

Rancher-reported animal units:

> 747,000 Multiply by 2

Rancher-reported cows + calves:

1.5 million

Authorized animal unit months:

8.4 million³ *Divide by 12 mos.*

Authorized animal units: 700,000 Multiply by 2

Authorized cows + calves:

1.4 million

Understanding the data: The BLM's Rangeland Administration System (RAS) tracks public grazing allotments, permits and livestock use. But the BLM website doesn't publish yearly livestock totals (the way it publishes yearly WHB estimates). These can be calculated, however, from **year-end grazing receipts** (published the following quarter on the BLM web site).

Grazing receipts are based on the number of animal units (defined as a cow/calf pair or five sheep or one horse) ranchers *report* they grazed over the previous 12 months multiplied by \$1.35 (the 2014 grazing fee per AUM—animal unit month). The 1.5 million figure above is the annual cattle equivalent of 747,000 animal units (to get sheep equivalent, multiply AUs x 5). This figure should be considered a baseline, however, as it doesn't reflect trespass grazing, undercounting and nonpayment of grazing fees.

Authorized AUMs (animal unit months), by comparison, represent the amount of livestock grazing the BLM assigns to ranchers for the upcoming grazing year. It's what the BLM deems appropriate, given rangeland conditions. But it's not indicative of what ranchers actually *do*.



An estimated 617,284 cattle grazed USFS western public rangelands in 2014

Reported by USFS:

Average yearly animal unit equivalent:

Average yearly livestock equivalent:

Grazing Management
National Forest Fund (NFF) Receipts 4,820
Grasslands and Land Utilization Projects (LUP) 159
Mandatory Transfers from NFF & Grasslands & LUP's:
Range Betterment Fund (50 Percent Grazing) -2,410
Acquisition of Lands for National Forests, Special
Acts " -30
Ten-Percent Roads and Trails Fund " -700

Total Grazing Management Receipts 4,979

Actual grazing receipts:


\$5.0 million⁶ Divide by \$1.35, then by 12 mos.

Rancher-reported animal units:

308,642 Multiply by 2

Rancher-reported cows + calves:

617,284



Authorized animal unit Months:

6.6 million⁵ *Divide by 12 mos.*

Authorized animal units:

550,000 *Multiply by 2*

Authorized cows + calves:

1.1 million

Understanding the data: The FSUS, like the BLM, doesn't publicize livestock totals, but these can also be calculated from **year-end grazing receipts** reported in the FSUS FY2016 Budget Overview, and **authorized AUMS** reported in the FY2014 Grazing Statistical Summary.

Sources:

⁵ USDA Forest Service Range Management Grazing Statistical Summary FY2014 http://www.fs.fed.us/rangelands/ftp/docs/GrazingStatisticalSummaryFY2014.pdf

⁶ USDA Forest Service Fiscal Year 2016 Budget Overview http://www.fs.fed.us/sites/default/files/media/2015/07/fy2016-budget-overview-update.pdf



Cattle are allocated 97% of forage on BLM and USFS public land; wild horses are allocated just 3%

Grazing on Public Lands

The Bureau of Land Management, which admini manages livestock grazing on 155 million acres

United States Department of Agriculture, administe t half of this acreage, 96 million acres, is rangelands

Wild Horse and Burro Acreage

ng Horses and Burros Act, these animals were found roaming acr illion acres were under the BLM's jurisdiction. Today, the BLM ma nent Areas (HMAs), that comprise 31.6 million acres. (For an ex; se to Myth #4 on the Myths and Facts page.) Under the 1971 Ac ay were not found roaming when the law was passed.

t Areas (HMAs)	179
	31.6 million acres
	26.9 million acres

U.S. Forest Service Wild Horse Burro Territory Status 2014

					- 1	
	ACTIVE	HORSE	13,763	13,128	6	
	ACTIVE	HORSE	232,521	224,889	7,	
				9 41,	פסט	/4
	ACTIVE	BURRO	28,930	996 2,53	0,851	7 p.3
· v	ACTIVE	HORSE	143 206	73 545	60	

1) In the Herd Management Areas, what is the actual allocation (AUMs) for wild horses and for cattle/livestock?

Active livestock AUMs authorized in HMAs is 1.076,000

Forage allocated to wild horses and burros is 320,124 AUMs.

Cattle-only	Cattle +	Total cattle
present:	WHB present:	+ WHB present:

BLM acres:	BLM acres:	BLM acres:	
128.1 million	26.9 million ²	155 million ¹	

USFS acres:	<u>USFS acres</u> :	<u>USFS acres</u> :
93.5 million	2.5 million ⁷	96 million ⁴

BLM & USFS acres:	BLM & USFS acres:	BLM & USFS acres:	
221.6 million (88%)	29.4 million (12%)	251 million	

AUM ForageAUM ForageAUM ForageAllocation:Allocation:Allocation:100% cattle77% cattle³97% cattle0% WHB23% WHB3% WHB

Sources:

p.1

www.blm.gov/wo/st/en/prog/whbprogram/history_and_facts/quick_facts.html

¹US DOI, BLM Fact Sheet: Livestock Grazing www.blm.gov/wo/st/en/prog/grazing.htm

² US DOI, BLM Wild Horses and Burros Program: Quick Facts

³E-mail from senior BLM WHB specialist Zach Reichold <u>www.scribd.com/fullscreen/233249122?access_key=key-</u> il1GglE8TuzUXE659mtC&allow_share=true&escape=false&view_mode=scroll

⁴ US Forest Service Rangelands <u>www.fs.fed.us/rangelands/whoweare/</u>

⁷ USFS Wild Horse Burro Territory Status 2014 from Tom Frolli of USFS http://dailypitchfork.org/wp-content/uploads/2015/11/USFS-WHBT-2014-All-Regions.pdf

Studies on Livestock Grazing

The impact of commercial livestock production on western public range and forest preserve has been studied for decades. Google Scholar searches on the topic yield thousands of results.

Not so for wild horses, which, despite years of debate, have simply failed to motivate people to study them as the cause of the overgrazing reported by the media.

This tells you something very simple: when researchers and conservation groups study the problem of overgrazing, drought and climate change, they study *cattle* and propose *cattle-based* solutions. That's important to know.

Sample studies on livestock impacts



"Monthly grazing fees on federal lands are currently set at a paltry \$1.35 per cow and calf. Despite the extreme damage done, western federal rangelands account for less than 3 percent of all forage fed to livestock in the United States." — The Center for Biological Diversity, "Costs and Consequences: The Real Price of Livestock Grazing on America's Public Lands"

http://www.biologicaldiversity.org/programs/public lands/grazing/pdfs/CostsAndConsequences 01-2015.pdf

"The effects of livestock grazing on ecosystems are numerous, and effects on riparian systems in particular have been the subject of much study. Hydrology, plant and animal species composition, and soil characteristics can all be dramatically altered with the presence of cattle."— *Environmental Management*, "Restoration of Riparian Areas Following the Removal of Cattle in the Northwestern Great Basin"

http://www.cof.orst.edu/hart/Batchelor2015 EM.pdf and http://www.cof.orst.edu/hart/hartimages.html

"...livestock grazing has been a major factor affecting fire frequency, fire severity, and ecosystem trajectories in the western US for over a century; and the removal or reduction of grazing impacts in these altered ecosystems is the most effective means of initiating ecological recovery."— *Environmental Management*, "Reducing Livestock Effects on Public Lands in the Western United States as the Climate Changes"

 $\underline{https://ir.library.oregonstate.edu/xmlui/bitstream/handle/1957/50113/BeschtaRobertForestryReducingLivestockEffects.pdf?sequence \\ \underline{=1}$

"Over 3 billion hectares of lands worldwide are grazed by livestock, with a majority suffering degradation in ecological condition. Losses in plant productivity, biodiversity of plant and animal communities, and carbon storage are occurring as a result of livestock grazing ... Worldwide, livestock production accounts for about 37 percent of global anthropogenic methane emissions and 65 percent of anthropogenic nitrous oxide emissions with as much as 18% of current global greenhouse gas emissions (CO2 equivalent) generated from the livestock industry." — *International Journal of Biodiversity,* "Holistic Management: Misinformation on the Science of Grazed Ecosystems"

http://www.hindawi.com/journals/ijbd/2014/163431/

"Livestock production is a chief contributor to many significant and intractable environmental problems. This article examines the causal role of livestock (especially beef) production in global climate change, predator control in the western United States, and winter elk feeding in Wyoming." — *Boston College Environmental Affairs Law Review, "Trampling the Public Trust"*

http://lawdigitalcommons.bc.edu/cgi/viewcontent.cgi?article=1052&context=

Studies on wild horses



"Science alone, even the best science, cannot resolve the divergent viewpoints on how best to manage free-ranging horses and burros on public lands. Evidence-based science can, however, center debate about management options on the basis of confidence in the data, predictable outcomes of specific options, and understanding of both what is known and where uncertainty remains." —The National Academy of Sciences, "Using Science to Improve the BLM Wild Horse and Burro Program: A Way Forward"

http://www.nap.edu/catalog/13511/using-science-to-improve-the-blm-wild-horse-and-burro-program

"Although feral horses have inhabited western North America since the end of the 16th century, relatively little synecological research has been conducted to quantitatively characterize how they interact with ecosystem components." — Monte L. Bean Life Science Museum, Brigham Young University, Western North American Naturalist, "Examining Consequences of Feral Horse Grazing Using Enclosures"

http://www.jstor.org/stable/41717041?seq=1#page scan tab contents

"Although it is widely alleged that horses and burros have severe grazing impacts on western rangelands, there are few published studies about the nature and extent of these impacts...Little controlled research has been done on the impact of grazing horses...The legacy of past grazing impacts (domestic sheep or cattle particularly between 1890 and 1920) may confound differences currently observed. This is nearly impossible to assess quantitatively because historical records from grazing from that time can rarely be found today."

— The National Research Council, National Academy Press, "Wild and Free-Roaming Horses and Burros: Current Knowledge and Recommended Research"

http://www.nap.edu/catalog/18642/wild-and-free-roaming-horses-and-burros-current-knowledge-and

Key Findings

Understanding how private livestock graze BLM and USFS lands is a starting point from which to better report on public land uses and costs, the drought, climate change, conservation efforts and policy making.

- An estimated 2.1 million cattle outnumbered 56,656 WHB on 251 million acres of land according to 2014 BLM and USFS data. Cattle outnumbered WHB by 30:1 on 155 million acres of BLM land; 83:1 on 96 million acres of USFS land and 37:1 overall.
- Cattle are allocated 97 percent of the forage on those 251 million acres. WHB are allocated 3 percent of it, sharing just 12 percent of those lands (29.4 million acres) with cattle.
- Those 251 million acres supply less than 3 percent of the forage used by the nation's livestock industry. The ranchers holding federal grazing permits constitute just 2.7 percent of the nation's livestock producers. It's a lot of land and expense to aid a miniscule slice of livestock production.

When researchers and conservation groups study overgrazing, rangeland health and climate change, they study the impact of cattle, not WHB.

- Mentions within their studies may include WHB (in a minor way), among other wildlife.
- Removing livestock/retiring grazing permits is a primary solution for addressing overgrazing and climate change.
- The three studies on WHB (1980, 2000, 2013) agree that more science-based data will improve the management of wild horses and burros on public lands, given arid conditions and competition with other ungulates.

dailypitchfork.org

For questions on this presentation or additional stats and information on WHB and public lands ranching, contact:

Vickery Eckhoff 917-439-8748 veckhoff@rcn.com